

TaylorMade®

GAPR



GAPR HI *SPEEDFOAM™*

FEATURING



HIGH AND MIGHTY

GAPR HI features the largest head size in the GAPR Family to promote easy launch, max distance, and forgiveness. With a traditional hybrid head shape, enhanced with a unique dropped crown contour, GAPR HI delivers needed versatility to hit it high, hit it far, and keep it straight from any lie.

TOMO BYSTEDT | DIRECTOR OF PRODUCT CREATION | METALWOODS

GAPR HI

- Low-back CG for extreme distance with a high trajectory
- Traditional hybrid sole shaping
- Dropped crown feature for lower-CG and improved alignment

SPEEDFOAM™


- Our revolutionary iron technology has been injected to allow for thinner, faster faces while maintaining excellent sound and feel

LOFT SLEEVE

- Provides improved opportunity for perfect gapping and desired trajectory

OPTIMIZED CG

- Creates a hotter, higher launch for more distance and improved playability



GRIP

Tour Velvet 360 Black/Teal 52g 0.580



SHAFT

KBS Hybrid 80(S) and 70(R) Stock
KBS Hybrid 80(X) and 60(A) Custom Only



CLUB	NUMBER	LOFT	HAND	LIE	VOLUME	LENGTH	SW
GAPR HI	3	19°	RH/LH	60.0°	91cc	40.75"	D2
GAPR HI	4	22°	RH/LH	60.5°	92cc	40.25"	D2
GAPR HI	5	25°	RH	61.0°	93cc	39.75"	D2
GAPR HI	6	28°	RH	61.5°	94cc	39.25"	D2



CHOOSE YOUR SHAPE. FIND YOUR DISTANCE. FIX YOUR GAP.

Custom options available. Stated swingweight targets represent stock build configurations only.
© 2018 Taylor Made Golf Company, Inc.

GAPR MID

FEATURING

SPEEDFOAM™



POWER AND PRECISION

The perfect blend between a driving iron and a hybrid club, GAPR MID offers a unique combination of speed and forgiveness. GAPR MID has minimal offset similar that of an iron while being powered for metalwood-like distance. This mid-launching product can be used to attack long par 3's and long 2nd shots where your traditional long iron comes up short.

TOMO BYSTEDT | DIRECTOR OF PRODUCT CREATION | METALWOODS

GAPR MID

- Ultra low CG for extreme distance with a mid-high trajectory
- Iron face profile inspires confidence and easy alignment
- Medium sole width for ease of play and versatility

SPEEDFOAM™


- Our revolutionary iron technology has been injected to allow for thinner, faster faces while maintaining excellent sound and feel

LOFT SLEEVE

- Provides improved opportunity for perfect gapping and desired trajectory

OPTIMIZED CG

- Creates a hotter, higher launch for more distance and improved playability



GRIP

Tour Velvet 360 Black/Teal 52g 0.580



SHAFT

KBS Hybrid 80(S) and 70(R) Stock
KBS Hybrid 80(X) and 60(A) Custom Only



CLUB	NUMBER	LOFT	HAND	LIE	VOLUME	LENGTH	SW
GAPR MID	3	18°	RH/LH	59.5°	73cc	40.25"	D2
GAPR MID	4	21°	RH/LH	60.0°	74cc	39.75"	D2
GAPR MID	5	24°	RH	60.5°	75cc	39.25"	D2



CHOOSE YOUR SHAPE. FIND YOUR DISTANCE. FIX YOUR GAP.

Custom options available. Stated swingweight targets represent stock build configurations only.
© 2018 Taylor Made Golf Company, Inc.

CONTROL FREAK

The most compact design in the GAPR Family unites the look of a driving iron with power, precision, and added forgiveness. Created to promote a hot, penetrating ball flight with exceptional feel and workability, GAPR LO is the ultimate utility club for all golfers from the Tour's elite to the weekend warrior.

TOMO BYSTEDT | DIRECTOR OF PRODUCT CREATION | METALWOODS

GAPR LO

- Low-forward CG for extreme distance with a penetrating trajectory
- Players profile allows for excellent flighting and workability
- Mid-thin sole width provides maximum versatility and flight control

SPEEDFOAM™

- Our revolutionary iron technology has been injected to allow for thinner, faster faces while maintaining excellent sound and feel


LOFT SLEEVE

- Provides improved opportunity for perfect gapping and desired trajectory

OPTIMIZED CG

- Creates a hotter, higher launch for more distance and improved playability

SPEEDFOAM™
Low-Density Cavity Filler
Magnified 10x



GRIP

Tour Velvet 360 Black/Teal 52g 0.580



SHAFT

KBS Hybrid 80(X) and 80(S) Stock
KBS Hybrid 70(R) and 60(A) Custom Only



CLUB	NUMBER	LOFT	HAND	LIE	VOLUME	LENGTH	SW
GAPR LO	2	17°	RH/LH	60.0°	58cc	40.25"	D2
GAPR LO	3	19°	RH/LH	60.5°	59cc	39.75"	D2
GAPR LO	4	22°	RH	61.0°	60cc	39.25"	D2



CHOOSE YOUR SHAPE. FIND YOUR DISTANCE. FIX YOUR GAP.